


INCRETE TEXTURE-CRETE

Patterned Overlay System



HUNDREDS OF COLOR/PATTERN COMBINATIONS
RESIDENTIAL AND COMMERCIAL
BEAUTIFULLY TEXTURED, NON-SLIP SURFACE
LOW MAINTENANCE



THE ULTIMATE COVER-UP

TRANSFORM YOUR UNSIGHTLY CONCRETE INTO A BEAUTIFUL TEXTURED SURFACE

Increte Texture-Crete overlays create a textured, patterned surface while covering dull gray concrete without the expense of removing and replacing structurally sound concrete. Using a vast number of color combinations, Increte Texture-Crete is sprayed over a stencil pattern to create unlimited possibilities. Increte Texture-Crete is as durable as it is attractive. Once sealed, pool decks, driveways, sidewalks, entries, patios/lanais or any hardscaping is protected and easy to maintain.







Increte Texture-Crete is perfect for commercial and retail entrances, patios, pool decks and other architectural concrete. The aesthetically pleasing surface is textured and rich looking. We offer custom-designed stencils, such as your company logo, to promote your business and set you apart from the rest.





Ideal for: Driveways | Sidewalks | Entries | Patios | Pool Decks | And more!

AN ENGINEERED SYSTEMS APPROACH

PRODUCT	DESCRIPTION	QUANTITY	COVERAGE
TAMMSWELD	A rewettable liquid bonding agent and polymer modifier for concrete and cement mortars.	1 gal (3.8 L) 5 gal (18.9 L)	150-250 ft ² (13-23 m ²) 750-1,250 ft ² (70-116 m ²)
INCRETE SPRAY-DECK GROUT*	A pre-blended overlayment used to cover and decorate cementitious surfaces. Available in 5 standard colors.	50 lb (22.7 kg)	75-150 ft² (7-14 m²)
INCRETE SPRAY-DECK RESIN	An acrylics emulsion used with INCRETE SPRAY- DECK GROUT to increase bond strength and overall durability.	1 gal (3.8 L) 5 gal (18.9 L)	150-200 ft ² (14-18 m ²) 750-1,000 ft ² (70-93 m ²)
INCRETE LIQUID DISPERSION	UV and weather-stable liquid colorant that will add color to any cement-based product. Available in 30 standard colors.	1 qt (0.9 L)	400-40,00 ft² (37-3,716 m²) Varies by Color
INCRETE CLEAR SEAL	A clear, non-yellowing formula that will protect the surface while deepending and highlighting the color of concrete.	1 gal (3.8 L) 5 gal (18.9 L)	200-400 ft ² (18-37 m ²) 1,000-2,000 ft ² (93-185 m ²)

^{*} Single Component Spray Deck Grout also available.

COLOR COMBINATIONS

From 35 standard colors, hundreds of combinations are available to color the base coat and top coat. The printed color chart is for reference purposes only. Euclid Chemical recommends chosing colors from actual test samples.




NOTE: This printed color chart is for reference purposes only. Euclid Chemical recommends choosing colors from actual test samples.

BD01 Increte Texture-Crete © 2022 The Euclid Chemical Company. This material is provided for informational purposes only. The Euclid Chemical Company expressly disclaims any liability relating to the use of this material. Nothing stated herein shall give rise to or constitute any warranty by The Euclid Chemical Company, express or implied, including but not limited to any implied warranty of merchantability or fitness for a particular purpose. The information provided in this material is not intended to be all inclusive, as the manner in which any product is used or handled may involve other or additional considerations that are not addressed herein.

PATTERN VARIETIES

Unique custom look that turns any property into a showplace.



*Patterns shown are available in reusable plastic sheets. Most patterns are available in adhesive and non-adhesive paper rolls. Check for available patterns.



1611 Gunn Highway Odessa, FL 33556 t 1-800-752-4626