

Revision Date: 08/29/2023

This is a kit that contains the following components:

TAMMSBAR COATING A

TAMMSBAR COATING B



Revision Date: 08/29/2023

# **SAFETY DATA SHEET**

# 1. Identification

Product identifier: TAMMSBAR COATING A

Product Code: TD23901 5

Recommended use and restriction on use

Recommended use: Sealant Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Euclid Admixture Canada Inc.

2835 Grand-Allee

Saint Hubert QC J4T 2R4

CA

**Contact person:** EH&S Department **Telephone:** (450)465-2233

**Emergency telephone number:** 1-800-424-9300 (US); 1-613-996-6666 (Canada)

# 2. Hazard(s) identification

#### **Hazard Classification**

#### **Health Hazards**

Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation Category 2A
Skin sensitizer Category 1

# **Unknown toxicity - Health**

Acute toxicity, oral 0 %
Acute toxicity, dermal 0 %
Acute toxicity, inhalation, vapor 100 %
Acute toxicity, inhalation, dust 100 %

or mist

#### **Environmental Hazards**

Acute hazards to the aquatic Category 2

environment

Chronic hazards to the aquatic Category 2

environment

#### **Unknown toxicity - Environment**

Acute hazards to the aquatic 10.5 %

environment

Chronic hazards to the aquatic 10.5 %

environment



Revision Date: 08/29/2023

#### **Label Elements**

# **Hazard Symbol:**



Signal Word: Warning

Hazard Statement: Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention: Wash thoroughly after handling. Wear protective gloves/ protective clothing/

eye protection/ face protection. Avoid breathing

dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be

allowed out of the workplace. Avoid release to the environment.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of

soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Specific treatment (see on this label). Wash contaminated

clothing before reuse. Collect spillage.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Bisphenol A Polyglycidyl Ether Resin	25068-38-6	50 - <100%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

#### Description of necessary first-aid measures

**Inhalation:** Move to fresh air.



Revision Date: 08/29/2023

**Skin Contact:** Get medical attention. Destroy or thoroughly clean contaminated

shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic

skin reaction develops, get medical attention.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy

to do, remove contact lenses. Get medical attention.

**Ingestion:** Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

**Personal Protection for First-**

aid Responders:

Self-contained breathing apparatus and full protective clothing must

be worn in case of fire.

Most important symptoms/effects, acute and delayed

**Symptoms:** Prolonged or repeated contact with skin may cause redness, itching,

irritation and eczema/chapping.

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** Symptoms may be delayed.

5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

#### 6. Accidental release measures



Revision Date: 08/29/2023

Personal precautions, protective equipment and emergency procedures:

See Section 8 of the SDS for Personal Protective Equipment. Do not touch

damaged containers or spilled material unless wearing appropriate

protective clothing. Keep unauthorized personnel away.

Accidental release measures: In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.

Methods and material for containment and cleaning

Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid release to the environment.

# 7. Handling and storage

#### Handling

Technical measures (e.g. Local and general ventilation):

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical

ventilation or local exhaust ventilation may be required.

Safe handling advice: Provide adequate ventilation. Wear appropriate personal protective

equipment. Observe good industrial hygiene practices. Wash hands

thoroughly after handling. Avoid contact with eyes. Avoid contact with skin.

Avoid contact with eyes, skin, and clothing.

Contact avoidance measures: No data available.

Observe good industrial hygiene practices. Avoid contact with eyes. Wash **Hygiene measures:** 

contaminated clothing before reuse. Avoid contact with skin. Wash hands before breaks and immediately after handling the product. Contaminated

work clothing should not be allowed out of the workplace.

Storage

Safe storage conditions: Store away from incompatible materials. Store in original tightly closed

container.

Safe packaging materials: No data available.

#### 8. Exposure controls/personal protection

# **Control Parameters**

#### **Occupational Exposure Limits**

None of the components have assigned exposure limits. None of the components have assigned exposure limits. None of the components have assigned exposure limits.

Appropriate Engineering

Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical

ventilation or local exhaust ventilation may be required.

Individual protection measures, such as personal protective equipment



Revision Date: 08/29/2023

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin Protection** 

**Hand Protection:** Additional Information: Use suitable protective gloves if risk of skin contact.

**Skin and Body Protection:** Wear suitable protective clothing. Wear chemical-resistant gloves,

footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific

information.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

**Hygiene measures:** Observe good industrial hygiene practices. Avoid contact with eyes. Wash

contaminated clothing before reuse. Avoid contact with skin. Wash hands before breaks and immediately after handling the product. Contaminated

work clothing should not be allowed out of the workplace.

#### 9. Physical and chemical properties

**Appearance** 

Physical state: liquid
Form: liquid
Color: Pale yellow

Odor: Mild

Odor threshold:

pH:

No data available.

Plash Point:

> 93 °C > 200 °F

Evaporation rate:

Slower than Ether

Flammability (solid, gas): No Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

No data available.

Vapor density: Vapors are heavier than air and may travel along the floor and

in the bottom of containers.

Relative density: 1.13

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Partition coefficient (n-octanol/water):
No data available.
Auto-ignition temperature:
No data available.
No data available.



Revision Date: 08/29/2023

Viscosity: No data available.

#### 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** No data available.

**Hazardous Decomposition** 

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

# 11. Toxicological information

### Information on likely routes of exposure

**In high concentrations**, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

**Skin Contact:** May be harmful in contact with skin. Causes skin irritation. May cause an

allergic skin reaction.

**Eye contact:** Causes serious eye irritation.

**Ingestion:** May be harmful if swallowed.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

#### Information on toxicological effects

# Acute toxicity (list all possible routes of exposure)

Oral

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Bisphenol A Polyglycidyl

LD 50 (Rat): > 2,000 mg/kg

Ether Resin

Product: Not classified for acute toxicity based on available data.



Revision Date: 08/29/2023

Inhalation Product:

Specified substance(s):

Bisphenol A Polyglycidyl LC 50: > 20 mg/l LC 50: > 5 mg/l

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** No data available.

Specified substance(s):

Bisphenol A in vivo (Rabbit): Moderately irritating , 24 h

Polyglycidyl Ether

Resin

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Respiratory or Skin Sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended:

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.



Revision Date: 08/29/2023

Specific Target Organ Toxicity - Single Exposure
Product:

No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

# 12. Ecological information

# **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

Bisphenol A Polyglycidyl

Ether Resin

Ether Resin

LC 50 (Oncorhynchus mykiss, 96 h): 1.5 mg/l Experimental result, Key study

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

Bisphenol A Polyglycidyl

EC 50 (Daphnia magna, 48 h): 1.1 mg/l experimental result Experimental

result, Key study

#### Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

Bisphenol A Polyglycidyl NOAEL (Daphnia magna): 0.3 mg/l experimental result Experimental result,

Ether Resin Key study

**Toxicity to Aquatic Plants** 

**Product:** No data available.



Revision Date: 08/29/2023

# **Persistence and Degradability**

Biodegradation

**Product:** No data available.

Specified substance(s):

Bisphenol A Polyglycidyl

Ether Resin

82 % Detected in water. Experimental result, Key study

**BOD/COD** Ratio

**Product:** No data available.

**Bioaccumulative potential** 

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Specified substance(s):

Bisphenol A Polyglycidyl

Bioconcentration Factor (BCF): 31 Aquatic sediment QSAR, Key study

Ether Resin

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Specified substance(s):

Bisphenol A Polyglycidyl

Ether Resin

Log Kow: 2.64 - 3.78 25 °C Yes Experimental result, Key study

**Mobility in soil:** No data available.

Other adverse effects: Toxic to aquatic life with long lasting effects.

13. Disposal considerations

**Disposal methods:** Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

**Contaminated Packaging:** No data available.

# 14. Transport information

TDG:

Not Regulated

CFR / DOT:

Not Regulated



Revision Date: 08/29/2023

#### IMDG:

Not Regulated

#### **Further Information:**

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

#### 15. Regulatory information

#### **US Federal Regulations**

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

# US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

# US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended

None present or none present in regulated quantities.

#### **CERCLA Hazardous Substance List (40 CFR 302.4):**

None present or none present in regulated quantities.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Immediate (Acute) Health Hazards Skin Corrosion or Irritation Serious eye damage or eye irritation Respiratory or Skin Sensitization

# US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

# US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

Chemical Identity % by weight

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None present or none present in regulated quantities.

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

# **US State Regulations**

#### **US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

# International regulations



Revision Date: 08/29/2023

# **Montreal protocol**

Not applicable

# Stockholm convention

Not applicable

# **Rotterdam convention**

Not applicable

# **Kyoto protocol**

Not applicable

**VOC:** When appropriately mixed with the other part, product has a VOC less water and exempt solvent of: 42 g/l

Regulatory VOC (less water and : 0 g/l

exempt solvent)

VOC Method 310 : 0.00 %



Revision Date: 08/29/2023

**Inventory Status:** 

Australia AICS: All components in this product are

listed on or exempt from the

Inventory.

Canada DSL Inventory List: All components in this product are

listed on or exempt from the

Inventory.

EC Inventory: All components in this product are

listed on or exempt from the

Inventory.

Japan (ENCS) List: All components in this product are

listed on or exempt from the

Inventory.

China Inv. Existing Chemical

Substances:

All components in this product are

listed on or exempt from the

Inventory.

Korea Existing Chemicals Inv. (KECI): All components in this product are

listed on or exempt from the

Inventory.

Canada NDSL Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

Philippines PICCS: All components in this product are

listed on or exempt from the

Inventory.

US TSCA Inventory: All components in this product are

listed on or exempt from the

Inventory.

New Zealand Inventory of Chemicals: All components in this product are

listed on or exempt from the

Inventory.

Japan ISHL Listing: All components in this product are

listed on or exempt from the

Inventory.

Japan Pharmacopoeia Listing: One or more components in this

product are not listed on or exempt

from the Inventory.



Revision Date: 08/29/2023

# 16.Other information, including date of preparation or last revision

**Revision Date:** 08/29/2023

Version #: 4.0

Further Information: No data available.

**Disclaimer:** For Industrial Use Only. Keep out of Reach of Children. The hazard

information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including

the safe use of the product under every foreseeable condition.



Revision Date: 08/29/2023

# SAFETY DATA SHEET

# 1. Identification

Product identifier: TAMMSBAR COATING B

Product Code: TD23901 5

Recommended use and restriction on use

Recommended use: Curative Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Euclid Admixture Canada Inc. 2835 Grand-Allee Saint Hubert QC J4T 2R4

CA

**Contact person:** EH&S Department **Telephone:** (450)465-2233

**Emergency telephone number:** 1-800-424-9300 (US); 1-613-996-6666 (Canada)

# 2. Hazard(s) identification

#### **Hazard Classification**

#### **Health Hazards**

Skin Corrosion/Irritation Category 1B
Serious Eye Damage/Eye Irritation Category 1
Skin sensitizer Category 1
Toxic to reproduction Category 2

# **Unknown toxicity - Health**

Acute toxicity, oral 22.16 %
Acute toxicity, dermal 50.71 %
Acute toxicity, inhalation, vapor 64.3 %
Acute toxicity, inhalation, dust 63.68 %

or mist

# **Environmental Hazards**

Acute hazards to the aquatic Category 1

environment

Chronic hazards to the aquatic Category 2

environment

#### **Unknown toxicity - Environment**

Acute hazards to the aquatic 38.82 %

environment



Revision Date: 08/29/2023

Chronic hazards to the aquatic 37.13 % environment

#### **Label Elements**

#### **Hazard Symbol:**



Signal Word: Danger

**Hazard Statement:** Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

Precautionary Statements

**Prevention:** Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Do not breathe

dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection. Use

personal protective equipment as required.

**Response:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or

hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instructions on this label). IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention.

Collect spillage.

Storage: Store locked up.

**Disposal:** Dispose of contents/ container to an approved facility in accordance with

local, regional, national and international regulations.

Hazard(s) not otherwise classified (HNOC):

None.

# 3. Composition/information on ingredients



Revision Date: 08/29/2023

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Crystalline Silica (Quartz)/ Silica Sand	14808-60-7	20 - <50%
4-Nonylphenol	84852-15-3	10 - <20%
Titanium dioxide	13463-67-7	5 - <10%
Diethylenetriamine	111-40-0	1 - <3%
Bisphenol A	80-05-7	1 - <2.5%
Triethylenetetramine	112-24-3	1 - <3%
Tris(dimethylaminomethyl)phenol	90-72-2	1 - <5%
Petroleum naphtha, heavy alkylate	64741-65-7	0.1 - <1%
4-tert-Butylphenol	98-54-4	0.1 - <1%
Aluminum oxide	1344-28-1	0.1 - <1%
m-Xylenediamine	1477-55-0	0.1 - <1%
Tetraethylene pentamine	112-57-2	0.1 - <1%
Phthalocyanine green	1328-53-6	0.1 - <1%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

# Description of necessary first-aid measures

**Inhalation:** Call a physician or poison control center immediately. If breathing

stops, provide artificial respiration. Move to fresh air. If breathing is

difficult, give oxygen.

**Skin Contact:** Call a physician or poison control center immediately. Destroy or

thoroughly clean contaminated shoes. Immediately remove

contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get

medical attention.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy

to do, remove contact lenses. Call a physician or poison control

center immediately.

**Ingestion:** Rinse mouth. Call a physician or poison control center immediately.

Never give liquid to an unconscious person. Do not induce vomiting

without advice from poison control center.

**Personal Protection for First-**

aid Responders:

Self-contained breathing apparatus and full protective clothing must

be worn in case of fire.

Most important symptoms/effects, acute and delayed

**Symptoms:** Prolonged or repeated contact with skin may cause redness, itching,

irritation and eczema/chapping. Extreme irritation of eyes and mucous

membranes, including burning and tearing.

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed



Revision Date: 08/29/2023

**Treatment:** Symptoms may be delayed.

### 5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

#### Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

#### Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing. Keep unauthorized personnel away.

Accidental release measures:

In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.

Methods and material for containment and cleaning

up:

Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for

disposal according to local regulations.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid release to the environment.

# 7. Handling and storage

# Handling

Technical measures (e.g. Local and general ventilation):

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical

ventilation or local exhaust ventilation may be required.



Revision Date: 08/29/2023

Safe handling advice: Provide adequate ventilation. Wear appropriate personal protective

equipment. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Do not get in eyes. Do not handle until all safety

thoroughly after handling. Do not get in eyes. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Do not get in eyes, on skin, on clothing. Avoid contact with eyes, skin, and clothing.

Contact avoidance measures: No data available.

**Hygiene measures:** Do not get in eyes. Observe good industrial hygiene practices. Do not

handle until all safety precautions have been read and understood. Obtain special instructions before use. Wash contaminated clothing before reuse. Do not get this material in contact with skin. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should

not be allowed out of the workplace. Avoid contact with skin.

Storage

Safe storage conditions: Store locked up.

Safe packaging materials: No data available.

#### 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure Limit Values	Source
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	TWA	0.05 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)
	OSHA_AC T	0.025 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended (03 2016)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	PEL	0.05 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016)
Crystalline Silica (Quartz)/ Silica Sand - Respirable.	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
	TWA	0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.025 mg/m3	US. ACGIH Threshold Limit Values, as amended (02 2020)
Titanium dioxide - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Titanium dioxide - Respirable fraction.	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Titanium dioxide - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Titanium dioxide - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Titanium dioxide - Total dust.	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)





Revision Date: 08/29/2023

Titanium dioxide - Respirable	TWA	2.5 mg/m3	US. ACGIH Threshold Limit Values, as
finescale particles	T14/4	0.0	amended (01 2022)
Titanium dioxide - Respirable nanoscale particles	TWA	0.2 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2022)
Diethylenetriamine	TWA	1 ppm	US. ACGIH Threshold Limit Values, as amended (2008)
Petroleum naphtha, heavy alkylate	PEL	100 ppm 400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Aluminum oxide - Respirable fraction.	TWA	1 mg/m3	US. ACGIH Threshold Limit Values, as amended (2011)
	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
Aluminum oxide - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Aluminum oxide - Respirable fraction.	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Aluminum oxide - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (03 2016)
Aluminum oxide - Inhalable particles.	TWA	10 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2021)
Aluminum oxide - Respirable particles.	TWA	3 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2021)
m-Xylenediamine	Ceiling	0.018 ppm	US. ACGIH Threshold Limit Values, as amended (01 2022)
Phthalocyanine green - Dust and mist as Cu	TWA	1 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)
Phthalocyanine green - Fume as Cu	TWA	0.2 mg/m3	US. ACGIH Threshold Limit Values, as amended (03 2014)

Chemical name	Туре	Exposure Limit Values	Source
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	TWA	0.1 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
	TWA	0.05 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (04 2022)



EUCLID CHEMICAL

Revision Date: 08/29/2023

Titanium dioxide - Total dust.	TWA	10 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007)
Titanium dioxide - Respirable fraction.	TWA	3 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007)
Titanium dioxide	TWA	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Titanium dioxide - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Diethylenetriamine	TWA	1 ppm	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007)
Diethylenetriamine	TWA	1 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Diethylenetriamine	TWA	1 ppm 4.2 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
Triethylenetetramine	TWA	0.5 ppm 3 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Petroleum naphtha, heavy alkylate	TWA	525 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Petroleum naphtha, heavy alkylate	TWA	1,000 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (03 2020)
Aluminum oxide - Respirable fraction.	TWA	1 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Aluminum oxide - Inhalable fraction.	TWA	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
Aluminum oxide - Respirable fraction.	TWA	3 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
Aluminum oxide - Total dust.	TWA	10 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2020)
Aluminum oxide - Inhalable particles.	TWA	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
Aluminum oxide - Respirable particles.	TWA	3 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
Aluminum oxide - Respirable fraction.	TWA	3 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2020)
Aluminum oxide - Respirable.	TWA	1.0 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (06 2022)
Aluminum oxide - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (04 2022)
Aluminum oxide - Respirable dust.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (04 2022)
m-Xylenediamine	CEILING	0.1 mg/m3	Canada. British Columbia OELs: Table of



Revision Date: 08/29/2023

			Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007)
m-Xylenediamine	CEV	0.1 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
m-Xylenediamine	CEILING	0.1 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (03 2020)
Phthalocyanine green - Fume as Cu	TWA	0.2 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)

Appropriate Engineering

Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical

ventilation or local exhaust ventilation may be required.

Individual protection measures, such as personal protective equipment

**Eye/face protection:** Wear a full-face respirator, if needed. Wear safety glasses with side shields

(or goggles) and a face shield.

Skin Protection

**Hand Protection:** Additional Information: Use suitable protective gloves if risk of skin contact.

**Skin and Body Protection:** Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

**Hygiene measures:** Do not get in eyes. Observe good industrial hygiene practices. Do not

handle until all safety precautions have been read and understood. Obtain special instructions before use. Wash contaminated clothing before reuse. Do not get this material in contact with skin. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should

not be allowed out of the workplace. Avoid contact with skin.

# 9. Physical and chemical properties

#### **Appearance**

Physical state:liquidForm:liquidColor:Green

Odor: Mild pungent
Odor threshold: No data available.
pH: No data available.
Melting point/freezing point: No data available.
Initial boiling point and boiling range: No data available.

Flash Point: > 93 °C > 200 °F(Setaflash Closed Cup)

**Evaporation rate:** Slower than Ether



Revision Date: 08/29/2023

Flammability (solid, gas): No Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

No data available.

Vapor density: Vapors are heavier than air and may travel along the floor and

in the bottom of containers.

Relative density: 1.334

Solubility(ies)

Solubility in water:
Solubility (other):
Partition coefficient (n-octanol/water):
No data available.
No data available.
No data available.
No data available.
Viscosity:
Practically Insoluble
No data available.
No data available.
No data available.

#### 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** Avoid contact with acids.

**Hazardous Decomposition** 

**Products:** 

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

# 11. Toxicological information

## Information on likely routes of exposure

**In high concentrations**, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

**Skin Contact:** Causes severe skin burns. May cause an allergic skin reaction.

**Eye contact:** Causes serious eye damage.

**Ingestion:** May be harmful if swallowed.

# Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.



Revision Date: 08/29/2023

**Eye contact:** No data available.

**Ingestion:** No data available.

# Information on toxicological effects

# Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix: 3,612.67 mg/kg

**Dermal** 

**Product:** ATEmix: 16,503.36 mg/kg

Inhalation Product:

Specified substance(s):

Aluminum oxide LC 50 (Rat): 7.6 mg/l

m-Xylenediamine LC 50 (Rat): 1.16 mg/l

Repeated dose toxicity

**Product:** No data available.

**Skin Corrosion/Irritation** 

**Product:** No data available.

Specified substance(s):

4-Nonylphenol in vivo (Rabbit): Irritating, 1 - 8 d

Tris(dimethylaminomet

hyl)phenol

in vivo (Rabbit): Corrosive

4-tert-Butylphenol in vivo (Rabbit): Not Classified , 7 - 10 d

Aluminum oxide in vivo (Rabbit): Not irritant, 24 - 72 h

m-Xylenediamine in vivo (Mouse): Corrosive, 4 h

Phthalocyanine green in vivo (Rabbit): Not irritant, 24 - 72 h

# Serious Eye Damage/Eye Irritation

**Product:** No data available.

Specified substance(s):



Revision Date: 08/29/2023

4-Nonylphenol Rabbit, 24 - 72 h: Corrosive

4-tert-Butylphenol Rabbit, 24 - 72 h: Category 1

Aluminum oxide Rabbit, 24 - 72 h: Not irritant

Respiratory or Skin Sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended:

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure
Product:
No data available.

Specific Target Organ Toxicity - Repeated Exposure

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.



Revision Date: 08/29/2023

Other effects: Constituents of this product may include crystalline silica which, if in

inhalable form, may cause silicosis, a form of progressive pulmonary fibrosis. Inhalable crystalline silica is listed by IARC as a group I carcinogen (lung) based on sufficient evidence in occupationally exposed humans and

sufficient evidence in animals. Crystalline silica is also listed by the NTP as a known human carcinogen. Constituents may also contain asbestiform or non-asbestiform tremolite or other silicates as impurities, and above de minimis exposure to these impurities in inhalable form may be carcinogenic

or cause other serious lung problems.

# 12. Ecological information

#### **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

4-Nonylphenol EC 50 (Pimephales promelas, 96 h): 96 µg/l Experimental result, Key study

Diethylenetriamine LC 50 (Poecilia reticulata, 96 h): 0.43 g/l Experimental result, Key study

Bisphenol A LC 50 (Pimephales promelas, 96 h): 4.6 mg/l Experimental result, Key study

Tris(dimethylaminomethyl

)phenol

LC 50 (Cyprinus carpio, 96 h): 175 mg/l Experimental result, Weight of

Evidence study

4-tert-Butylphenol LC 50 (Fathead minnow (Pimephales promelas), 96 h): 4.71 - 5.62 mg/l

Mortality

Aluminum oxide LC 50 (Pimephales promelas, 96 h): 1.16 mg/l Experimental result, Weight

of Evidence study

m-Xylenediamine LC 50 (Oryzias latipes, 96 h): 87.6 mg/l Experimental result, Key study

Phthalocyanine green LC 50 (Oncorhynchus mykiss, 96 h): 355.6 mg/l Experimental result, Key

study

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

4-Nonylphenol EC 50 (Daphnia magna, 48 h): 84.4 μg/l experimental result Experimental

result, Key study

Diethylenetriamine EC 50 (Daphnia magna, 48 h): 16 mg/l experimental result Experimental

result, Key study

Bisphenol A EC 50 (Daphnia magna, 48 h): 10.2 mg/l experimental result Experimental

result, Key study



Revision Date: 08/29/2023

Triethylenetetramine LC 50 (Water flea (Daphnia magna), 48 h): 33.9 mg/l Intoxication

4-tert-Butylphenol EC 50 (Daphnia magna, 48 h): 4.8 mg/l experimental result Experimental

result, Key study

Aluminum oxide EC 50 (Ceriodaphnia dubia, 48 h): 1.5 mg/l experimental result Experimental

result, Weight of Evidence study

m-Xylenediamine EC 50 (Daphnia magna, 48 h): 15.2 mg/l experimental result Experimental

result, Key study

Phthalocyanine green EC 50 (Daphnia magna, 48 h): > 500 mg/l read-across based on grouping of

substances (category approach) Read-across based on grouping of

substances (category approach), Key study

# Chronic hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

Specified substance(s):

4-Nonylphenol NOAEL (Oncorhynchus mykiss): 0.006 mg/l experimental result

Experimental result, Key study

Diethylenetriamine NOAEL (Gasterosteus aculeatus): > 10 mg/l experimental result

Experimental result, Key study

Bisphenol A NOAEL (Pimephales promelas): 640 µg/l experimental result Experimental

result, Key study

4-tert-Butylphenol NOAEL (Pimephales promelas): 10 μg/l experimental result Experimental

result, Key study

**Aquatic Invertebrates** 

Product:

No data available.

Specified substance(s):

4-Nonylphenol NOAEL (Daphnia magna): 0.024 mg/l experimental result Experimental

result, Key study

Diethylenetriamine NOAEL (Daphnia magna): 5.6 mg/l experimental result Experimental result,

Key study

Bisphenol A NOAEL (Daphnia magna): 1 mg/l experimental result Experimental result,

Supporting study

4-tert-Butylphenol NOAEL (Daphnia magna): 0.73 mg/l experimental result Experimental result,

Key study

Aluminum oxide NOAEL (Daphnia magna): 1.89 mg/l experimental result Experimental result,

Weight of Evidence study

m-Xylenediamine NOAEL (Daphnia magna): 4.7 mg/l experimental result Experimental result,

Key study

Phthalocyanine green NOAEL (Daphnia magna): > 1 mg/l read-across based on grouping of



Revision Date: 08/29/2023

substances (category approach) Read-across based on grouping of

substances (category approach), Key study

**Toxicity to Aquatic Plants** 

Product:

No data available.

# Persistence and Degradability

Biodegradation

**Product:** No data available.

Specified substance(s):

4-Nonylphenol 48.2 % (35 d) Detected in water. Experimental result, Key study

Diethylenetriamine 87 % Detected in water. Experimental result, Key study

Bisphenol A 89 % (28 d) Detected in water. Experimental result, Key study

Tris(dimethylaminomethyl

)phenol

4 % (28 d) Detected in water. Experimental result, Key study

4-tert-Butylphenol 60 % (28 d) Detected in water. Experimental result, Key study

m-Xylenediamine 49 % (28 d) Detected in water. Experimental result, Key study

Phthalocyanine green 5 % (28 d) Detected in water. Experimental result, Key study

**BOD/COD Ratio** 

**Product:** No data available.

#### **Bioaccumulative potential**

#### **Bioconcentration Factor (BCF)**

**Product:** No data available.

Specified substance(s):

4-Nonylphenol Pimephales promelas, Bioconcentration Factor (BCF): 740 Aquatic sediment

Experimental result, Key study

Diethylenetriamine Cyprinus carpio, Bioconcentration Factor (BCF): > 2.8 - 6.3 Aquatic

sediment Experimental result, Key study

Bisphenol A Cyprinus carpio, Bioconcentration Factor (BCF): 20 - 67 Aquatic sediment

Experimental result, Key study

4-tert-Butylphenol Cyprinus carpio, Bioconcentration Factor (BCF): 44 - 48 Aquatic sediment

Experimental result, Key study

# Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Specified substance(s):

Bisphenol A Log Kow: 3.32

Log Kow: 3.32



Revision Date: 08/29/2023

Tetraethylene pentamine Log Kow: 1.503

Mobility in soil: No data available.

Other adverse effects: Very toxic to aquatic organisms. Toxic to aquatic life with long lasting effects.

# 13. Disposal considerations

**Disposal methods:** Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Contaminated Packaging: No data available.

#### 14. Transport information

#### TDG:

UN1760, CORROSIVE LIQUID, N.O.S. (Aliphatic Amine), 8, PG III

#### CFR / DOT:

UN1760, Corrosive liquids, n.o.s. (Aliphatic Amine), 8, PG III

#### IMDG:

UN1760, CORROSIVE LIQUID, N.O.S. (Aliphatic Amine, Nonylphenol), 8, PG III, MARINE POLLUTANT

#### **Further Information:**

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

# 15. Regulatory information

#### **US Federal Regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

<u>Chemical Identity</u> <u>Reportable quantity</u>

4-Nonylphenol De minimis concentration: TSCA 5(a)(2)% One-Time Export Notification

only.

# US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.



Revision Date: 08/29/2023

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended

<u>Chemical Identity</u> Crystalline Silica

OSHA hazard(s) kidney effects

Crystalline Silica kidney effects (Quartz)/ Silica Sand lung effects

immune system effects

Cancer

#### CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u> <u>Reportable quantity</u>

Petroleum naphtha, 100 lbs.

heavy alkylate

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

# **Hazard categories**

Immediate (Acute) Health Hazards
Delayed (Chronic) Health Hazard
Skin Corrosion or Irritation
Serious eye damage or eye irritation
Respiratory or Skin Sensitization
Reproductive toxicity

# US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

Not Regulated.

#### US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

<u>Chemical Identity</u> <u>% by weight</u> 4-Nonylphenol 1.0%

Bisphenol A 1.0%

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None present or none present in regulated quantities.

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

#### **US State Regulations**

# **US. California Proposition 65**



#### **WARNING**

Cancer and Reproductive Harm - www.P65Warnings.ca.gov

#### International regulations

#### Montreal protocol

Not applicable

#### Stockholm convention



Revision Date: 08/29/2023

Not applicable

# **Rotterdam convention**

Not applicable

# **Kyoto protocol**

Not applicable

**VOC:** When appropriately mixed with the other part, product has a VOC less water and exempt solvent of: 42 g/l

Regulatory VOC (less water and : 83 g/l

exempt solvent)

VOC Method 310 : 6.25 %



Revision Date: 08/29/2023

**Inventory Status:** 

Canada DSL Inventory List: One or more components in this

product are not listed on or exempt

from the Inventory.

EC Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

Japan (ENCS) List: One or more components in this

product are not listed on or exempt

from the Inventory.

China Inv. Existing Chemical

Substances:

One or more components in this product are not listed on or exempt

from the Inventory.

Korea Existing Chemicals Inv. (KECI): One or more components in this

product are not listed on or exempt

from the Inventory.

Canada NDSL Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

Philippines PICCS: One or more components in this

product are not listed on or exempt

from the Inventory.

New Zealand Inventory of Chemicals: One or more components in this

product are not listed on or exempt

from the Inventory.

Japan ISHL Listing: One or more components in this

product are not listed on or exempt

from the Inventory.

Japan Pharmacopoeia Listing: One or more components in this

product are not listed on or exempt

from the Inventory.

Ontario Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

Mexico INSQ: One or more components in this

product are not listed on or exempt

from the Inventory.

Taiwan Chemical Substance Inventory: One or more components in this



Revision Date: 08/29/2023

product are not listed on or exempt

from the Inventory.

US TSCA Inventory: All components in this product are

listed on or exempt from the

Inventory.

Australia Industrial Chem. Act (AIIC): One or more components in this

product are not listed on or exempt

from the Inventory.

Switzerland New Subs Notified/Registered:

One or more components in this product are not listed on or exempt

from the Inventory.

Thailand DIW Existing Chemical Inv.

List:

One or more components in this product are not listed on or exempt

from the Inventory.

Vietnam National Chemical Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

# 16.Other information, including date of preparation or last revision

**Revision Date:** 08/29/2023

Version #: 4.0

Further Information: No data available.

**Disclaimer:** For Industrial Use Only. Keep out of Reach of Children. The hazard

information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including

the safe use of the product under every foreseeable condition.