

Revision Date: 08/18/2023

SAFETY DATA SHEET

1. Identification

Material name: DURAL 50 LM 2:1 PART B 5 GL PL

Material: TB53333505

Recommended use and restriction on use

Recommended use: Curative Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

EUCLID CHEMICAL COMPANY 19218 REDWOOD ROAD CLEVELAND OH 44110

US

Contact person: EH&S Department **Telephone:** 216-531-9222

Emergency telephone number: 1-800-424-9300 (US); 1-613-996-6666 (Canada)

2. Hazard(s) identification

Hazard Classification

Health Hazards

Acute toxicity (Oral) Category 4
Acute toxicity (Inhalation - vapor) Category 4
Acute toxicity (Inhalation - dust and Category 4

mist)

Skin Corrosion/Irritation Category 1B
Serious Eye Damage/Eye Irritation Category 1
Skin sensitizer Category 1
Toxic to reproduction Category 2

Unknown toxicity - Health

Acute toxicity, oral 5.7 %
Acute toxicity, dermal 9.63 %
Acute toxicity, inhalation, vapor 77.77 %
Acute toxicity, inhalation, dust 76.41 %

or mist

Environmental Hazards

Acute hazards to the aquatic Category 1

environment

Chronic hazards to the aquatic Category 2

environment



Revision Date: 08/18/2023

Unknown toxicity - Environment

Acute hazards to the aquatic

Chronic hazards to the aquatic

8.49 %

environment

8.49 %

environment

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Harmful if swallowed or if inhaled.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Do not breathe

dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/

face protection. Use personal protective equipment as required.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON

CENTER or doctor/ physician if you feel unwell. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instructions on this label). IF INHALED: Remove person to fresh air and

keep comfortable for breathing. Immediately call a POISON

CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Collect

spillage.

Storage: Store locked up.

Disposal: Dispose of contents/ container to an approved facility in accordance with

local, regional, national and international regulations.



Revision Date: 08/18/2023

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Poly(oxypropylene) diamine	9046-10-0	25 - <50%
Benzyl alcohol	100-51-6	10 - <25%
Diethylenetriamine	111-40-0	5 - <10%
1,2-Cyclohexanediamine	694-83-7	5 - <10%
4-Nonylphenol	84852-15-3	5 - <10%
Bisphenol A	80-05-7	3 - <5%
4-tert-Butylphenol	98-54-4	2.5 - <5%
2-Methyl-1,5-pentanediamine	15520-10-2	1 - <5%
m-Xylenediamine	1477-55-0	1 - <3%
1,3-Cyclohexanedimethanamine	2579-20-6	1 - <3%
N-Aminoethylpiperazine	140-31-8	0.1 - <1%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Description of necessary first-aid measures

Inhalation: Call a physician or poison control center immediately. If breathing

stops, provide artificial respiration. Move to fresh air. If breathing is

difficult, give oxygen.

Skin Contact: Call a physician or poison control center immediately. Destroy or

thoroughly clean contaminated shoes. Immediately remove

contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get

medical attention.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy

to do, remove contact lenses. Call a physician or poison control

center immediately.

Ingestion: Rinse mouth. Call a physician or poison control center immediately.

Never give liquid to an unconscious person. Do not induce vomiting

without advice from poison control center.

Personal Protection for First-

aid Responders:

Self-contained breathing apparatus and full protective clothing must

be worn in case of fire.

Most important symptoms/effects, acute and delayed

Symptoms: Prolonged or repeated contact with skin may cause redness, itching,

irritation and eczema/chapping. Extreme irritation of eyes and mucous

membranes, including burning and tearing.



Revision Date: 08/18/2023

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: See Section 8 of the SDS for Personal Protective Equipment. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Accidental release measures:

In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.

Methods and material for containment and cleaning

up:

Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for

disposal according to local regulations.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid release to the environment.

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation):

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.



Revision Date: 08/18/2023

Safe handling advice: Provide adequate ventilation. Wear appropriate personal protective

equipment. Observe good industrial hygiene practices. Do not taste or swallow. Wash hands thoroughly after handling. Do not get in eyes. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Do not get in eyes, on skin, on clothing. Avoid contact with eyes,

skin, and clothing.

Contact avoidance measures: No data available.

Hygiene measures: Observe good industrial hygiene practices. Do not eat, drink or smoke

when using the product. Wash hands after handling. Do not get in eyes. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Wash contaminated clothing before reuse. Do not get this material in contact with skin. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with

skin.

Storage

Safe storage conditions: Store locked up.

Safe packaging materials: No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Diethylenetriamine	TWA	1 ppm	US. ACGIH Threshold Limit Values, as amended (2008)
m-Xylenediamine	Ceiling	0.018 ppm	US. ACGIH Threshold Limit Values, as amended (01 2022)

Chemical name	Туре	Exposure Limit Values	Source
Diethylenetriamine	TWA	1 ppm	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007)
Diethylenetriamine	TWA	1 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Diethylenetriamine	TWA	1 ppm 4.2 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)



Revision Date: 08/18/2023

Chemical name	Туре	Exposure Limit Values	Source
Diethylenetriamine	TWA	1 ppm	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007)
Diethylenetriamine	TWA	1 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Diethylenetriamine	TWA	1 ppm 4.2 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (09 2017)
m-Xylenediamine	CEILING	0.1 mg/m3	Canada. British Columbia OELs: Table of Exposure Limits for Chemical Biological Substances (Workers Compensation Board); as amended (07 2007)
m-Xylenediamine	CEV	0.1 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (01 2020)
m-Xylenediamine	CEILING	0.1 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended (03 2020)

Appropriate Engineering Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.

Individual protection measures, such as personal protective equipment

Eye/face protection: Wear a full-face respirator, if needed. Wear safety glasses with side shields

(or goggles) and a face shield.

Skin Protection

Hand Protection: Additional Information: Use suitable protective gloves if risk of skin contact.

Skin and Body Protection: Wear suitable protective clothing. Wear chemical-resistant gloves,

footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific

information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures: Observe good industrial hygiene practices. Do not eat, drink or smoke

when using the product. Wash hands after handling. Do not get in eyes. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Wash contaminated clothing before reuse. Do not get this material in contact with skin. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with

skin.

9. Physical and chemical properties



Revision Date: 08/18/2023

Appearance

Physical state:liquidForm:liquidColor:Amber

Odor: Mild pungent
Odor threshold: No data available.
pH: No data available.

Melting point/freezing point:Initial boiling point and boiling range:No data available.No data available.

Flash Point: > 93 °C > 200 °F(Setaflash Closed Cup)

Evaporation rate: Slower than Ether

Flammability (solid, gas): No Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper:

Explosive limit - lower:

No data available.

Vapor density: Vapors are heavier than air and may travel along the floor and

in the bottom of containers.

Relative density: 1.01

Solubility(ies)

Solubility in water: Practically Insoluble
Solubility (other): No data available.
Partition coefficient (n-octanol/water): No data available.

Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Avoid heat or contamination.

Incompatible Materials: Avoid contact with acids.

Hazardous Decomposition Thermal decomposition or combustion may liberate carbon oxides and

Products: other toxic gases or vapors.

11. Toxicological information



Revision Date: 08/18/2023

Information on likely routes of exposure

In high concentrations, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

Skin Contact: May be harmful in contact with skin. Causes severe skin burns. May cause

an allergic skin reaction.

Eye contact: Causes serious eye damage.

Ingestion: Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 1,563.31 mg/kg

Dermal

Product: ATEmix: 2,580.58 mg/kg

Inhalation

Product: ATEmix: 11.02 mg/l

ATEmix: 3.62 mg/l

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):



Revision Date: 08/18/2023

Poly(oxypropylene)

diamine

in vivo (Rabbit): Corrosive, 48 - 72 h

Benzyl alcohol in vivo (Rabbit): Slightly irritating

4-Nonylphenol in vivo (Rabbit): Irritating, 1 - 8 d

4-tert-Butylphenol in vivo (Rabbit): Not Classified, 7 - 10 d

m-Xylenediamine in vivo (Mouse): Corrosive, 4 h

1,3- in vivo (Rabbit): Corrosive, 1 h

Cyclohexanedimethana

mine

N-Aminoethylpiperazine in vivo (Rabbit): Severe damage to the belly, 24 h

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Poly(oxypropylene)

diamine

Rabbit, 24 h: Corrosive

1,2- Rabbit, 24 - 72 h: Category 1

Cyclohexanediamine

4-Nonylphenol Rabbit, 24 - 72 h: Corrosive

4-tert-Butylphenol Rabbit, 24 - 72 h: Category 1

2-Methyl-1,5pentanediamine Rabbit, 24 - 72 h: Category 1

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended:

No carcinogenic components identified



Revision Date: 08/18/2023

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure
Product:
No data available.

Specific Target Organ Toxicity - Repeated Exposure
Product:
No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Poly(oxypropylene) LC 50 (Cyprinodon variegatus, 96 h): 772.14 mg/l Experimental result, Key

diamine stu

Benzyl alcohol LC 50 (Pimephales promelas, 96 h): 460 mg/l Experimental result, Key study

Diethylenetriamine LC 50 (Poecilia reticulata, 96 h): 0.43 g/l Experimental result, Key study

1,2-Cyclohexanediamine LC 50 (Pimephales promelas, 96 h): 1,825 mg/l Read-across based on

grouping of substances (category approach), Key study

4-Nonylphenol EC 50 (Pimephales promelas, 96 h): 96 µg/l Experimental result, Key study

Bisphenol A LC 50 (Pimephales promelas, 96 h): 4.6 mg/l Experimental result, Key study

4-tert-Butylphenol LC 50 (Fathead minnow (Pimephales promelas), 96 h): 4.71 - 5.62 mg/l

10/17



Revision Date: 08/18/2023

Mortality

2-Methyl-1,5- LC 50 (Leuciscus idus, 48 h): 130 mg/l Experimental result, Supporting

pentanediamine study

m-Xylenediamine LC 50 (Oryzias latipes, 96 h): 87.6 mg/l Experimental result, Key study

1,3- LC 50 (Leuciscus idus, 96 h): 130 mg/l Experimental result, Key study

Cyclohexanedimethanam

ine

N-Aminoethylpiperazine LC 50 (Pimephales promelas, 96 h): 2,190 mg/l Experimental result, Key

study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Poly(oxypropylene) EC 50 (Daphnia magna, 48 h): 80 mg/l experimental result Experimental

diamine result, Key study

Benzyl alcohol EC 50 (Daphnia magna, 48 h): 230 mg/l experimental result Experimental

result, Key study

Diethylenetriamine EC 50 (Daphnia magna, 48 h): 16 mg/l experimental result Experimental

result, Key study

1,2-Cyclohexanediamine EC 50 (Daphnia magna, 48 h): 19.8 mg/l read-across based on grouping of

substances (category approach) Read-across based on grouping of

substances (category approach), Key study

4-Nonylphenol EC 50 (Daphnia magna, 48 h): 84.4 µg/l experimental result Experimental

result, Key study

Bisphenol A EC 50 (Daphnia magna, 48 h): 10.2 mg/l experimental result Experimental

result, Key study

4-tert-Butylphenol EC 50 (Daphnia magna, 48 h): 4.8 mg/l experimental result Experimental

result, Key study

2-Methyl-1,5- EC 50 (Daphnia magna, 48 h): 19.8 mg/l read-across based on grouping of

pentanediamine substances (category approach) Read-across based on grouping of

substances (category approach) Kewetisky

substances (category approach), Key study

m-Xylenediamine EC 50 (Daphnia magna, 48 h): 15.2 mg/l experimental result Experimental

result, Key study

1,3- EC 50 (Daphnia magna, 48 h): 33.1 mg/l experimental result Experimental

Cyclohexanedimethanam result, Key study

ine

N-Aminoethylpiperazine EC 50 (Daphnia magna, 48 h): 58 mg/l experimental result Experimental

result, Key study

Chronic hazards to the aquatic environment:



Revision Date: 08/18/2023

Fish

Product: No data available.

Specified substance(s):

NOAEL (Gasterosteus aculeatus): > 10 mg/l experimental result Diethylenetriamine

Experimental result, Key study

NOAEL (Oncorhynchus mykiss): 0.006 mg/l experimental result 4-Nonylphenol

Experimental result, Key study

Bisphenol A NOAEL (Pimephales promelas): 640 µg/l experimental result Experimental

result, Key study

4-tert-Butylphenol NOAEL (Pimephales promelas): 10 µg/l experimental result Experimental

result, Key study

Aquatic Invertebrates

Product:

No data available.

Specified substance(s):

Benzyl alcohol NOAEL (Daphnia magna): 51 mg/l experimental result Experimental result,

Key study

Diethylenetriamine NOAEL (Daphnia magna): 5.6 mg/l experimental result Experimental result,

Key study

1,2-Cyclohexanediamine NOAEL (Daphnia magna): 4.16 mg/l read-across based on grouping of

substances (category approach) Read-across based on grouping of

substances (category approach), Key study

4-Nonylphenol NOAEL (Daphnia magna): 0.024 mg/l experimental result Experimental

result, Key study

Bisphenol A NOAEL (Daphnia magna): 1 mg/l experimental result Experimental result,

Supporting study

4-tert-Butylphenol NOAEL (Daphnia magna): 0.73 mg/l experimental result Experimental result,

Key study

2-Methyl-1,5-

NOAEL (Daphnia magna): 4.16 mg/l read-across based on grouping of pentanediamine substances (category approach) Read-across based on grouping of

substances (category approach), Key study

m-Xylenediamine NOAEL (Daphnia magna): 4.7 mg/l experimental result Experimental result,

Key study

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):



Revision Date: 08/18/2023

Benzyl alcohol 97 % (21 d) Detected in water. Experimental result, Key study

Diethylenetriamine 87 % Detected in water. Experimental result, Key study

1,2-Cyclohexanediamine 100 % Detected in water. Experimental result, Key study

4-Nonylphenol 48.2 % (35 d) Detected in water. Experimental result, Key study

Bisphenol A 89 % (28 d) Detected in water. Experimental result, Key study

4-tert-Butylphenol 60 % (28 d) Detected in water. Experimental result, Key study

2-Methyl-1,5pentanediamine 100 % Detected in water. Experimental result, Key study

m-Xylenediamine 49 % (28 d) Detected in water. Experimental result, Key study

1,3- 29 % (28 d) Detected in water. Experimental result, Key study

Cyclohexanedimethanami

ne

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

Diethylenetriamine Cyprinus carpio, Bioconcentration Factor (BCF): > 2.8 - 6.3 Aquatic

sediment Experimental result, Key study

4-Nonylphenol Pimephales promelas, Bioconcentration Factor (BCF): 740 Aquatic sediment

Experimental result, Key study

Bisphenol A Cyprinus carpio, Bioconcentration Factor (BCF): 20 - 67 Aquatic sediment

Experimental result, Key study

4-tert-Butylphenol Cyprinus carpio, Bioconcentration Factor (BCF): 44 - 48 Aquatic sediment

Experimental result, Key study

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Specified substance(s):

Benzyl alcohol Log Kow: 1.10

Bisphenol A Log Kow: 3.32

Log Kow: 3.32

N-Aminoethylpiperazine Log Kow: -1.57

Mobility in soil: No data available.



Revision Date: 08/18/2023

Other adverse effects: Very toxic to aquatic organisms. Toxic to aquatic life with long lasting effects.

13. Disposal considerations

Disposal methods: Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Contaminated Packaging: No data available.

14. Transport information

TDG:

UN1760, CORROSIVE LIQUID, N.O.S. (Alkaline Amine), 8, PG III

CFR / DOT:

UN1760, Corrosive liquids, n.o.s. (Alkaline Amine), 8, PG III

IMDG:

UN1760, CORROSIVE LIQUID, N.O.S. (Alkaline Amine), 8, PG III

Further Information:

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

<u>Chemical Identity</u> <u>Reportable quantity</u>

4-Nonylphenol De minimis concentration: TSCA 5(a)(2)% One-Time Export Notification

only.

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053), as amended

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity Reportable quantity

Ethylene diamine 5000 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards



Revision Date: 08/18/2023

Delayed (Chronic) Health Hazard Acute toxicity (any route or exposure) Skin Corrosion or Irritation Serious eye damage or eye irritation Respiratory or Skin Sensitization Reproductive toxicity

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

Not Regulated.

US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

Chemical Identity % by weight

4-Nonylphenol 1.0% Bisphenol A 1.0%

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Chemical Identity Reportable quantity

Ethylene diamine lbs

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65



WARNING

Reproductive Harm - www.P65Warnings.ca.gov

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable

VOC:

Regulatory VOC (less water and

: 249 g/l

exempt solvent)

VOC Method 310 : 24.61 %



Revision Date: 08/18/2023

Inventory Status:

Australia Industrial Chem. Act (AIIC): One or more components in this

product are not listed on or exempt

from the Inventory.

Canada DSL Inventory List: One or more components in this

product are not listed on or exempt

from the Inventory.

Canada NDSL Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

Ontario Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

China Inv. Existing Chemical

Substances:

One or more components in this product are not listed on or exempt

from the Inventory.

Japan (ENCS) List: One or more components in this

product are not listed on or exempt

from the Inventory.

Japan ISHL Listing: One or more components in this

product are not listed on or exempt

from the Inventory.

Japan Pharmacopoeia Listing: One or more components in this

product are not listed on or exempt

from the Inventory.

Korea Existing Chemicals Inv. (KECI): One or more components in this

product are not listed on or exempt

from the Inventory.

Mexico INSQ: One or more components in this

product are not listed on or exempt

from the Inventory.

New Zealand Inventory of Chemicals: One or more components in this

product are not listed on or exempt

from the Inventory.

Philippines PICCS: One or more components in this

product are not listed on or exempt

from the Inventory.

Taiwan Chemical Substance Inventory: One or more components in this



Revision Date: 08/18/2023

product are not listed on or exempt

from the Inventory.

US TSCA Inventory:

All components in this product are

listed on or exempt from the

Inventory.

Switzerland New Subs Notified/Registered:

One or more components in this product are not listed on or exempt

from the Inventory.

Thailand DIW Existing Chemical Inv.

List:

One or more components in this product are not listed on or exempt

from the Inventory.

Vietnam National Chemical Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

EC Inventory: One or more components in this

product are not listed on or exempt

from the Inventory.

16.Other information, including date of preparation or last revision

Revision Date: 08/18/2023

Version #: 4.0

Further Information: No data available.

Disclaimer: For Industrial Use Only. Keep out of Reach of Children. The hazard

information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including

the safe use of the product under every foreseeable condition.